CELL CALCIUM

Cell Calcium (1993) 14, 759–762
© Longman Group UK Ltd 1993

Subject Index to Volume 14

A

Acinar (pancreatic) cells, Ca^{2+} oscillations in, spatiotemporal relationships and functional implications, 746
Acinar cells, Ca^{2+} signalling in exocrine, the diffusional properties of cellular inositol 1,4,5-trisphosphate and its role in the release of Ca^{2+}, 711
Acini (rat sublingual mucous), membrane potential regulates Ca^{2+} uptake and inositol phosphate generation in, 551
Adenosine 3′,5′-cyclic monophosphate-mediated prolactin secretion in GH_4C_1 cells involves Ca^{2+} influx through L-type Ca^{2+} channels, 219
Adenosine diphosphate (ADP) stimulated platelets (human), effects of elevated pressures of inert gases on cytosolic free Ca^{2+} in, 525
Adenosine triphosphate (ATP) in human ovarian tumour cells, cell proliferation and calcium mobilization activated by extracellular, 209
Adrenergic and muscarinic agonists in mouse mandibular ducts and endpieces, control of intracellular Ca^{2+} by, 631
Aequorin-expressing mammalian cell lines used to report Ca^{2+} mobilization, 663
Aequorins (recombinant semi-synthetic) and recombinant fluorescein-conjugated aequorin, light-emitting properties of, for measuring cellular calcium, 373
Ascidians and sea urchins, net calcium and acid release at fertilization in eggs of, 73
Asparagine and high levels of free Ca^{2+} in the induction of ornithine decarboxylase, independent actions of, 45

B

Baclofen and dopamine close Ca channels that are spontaneously open but not those opened by high $[K^+]_o$, 33
Bistramide A (the polyether) affects the calcium sensitivity of the contractile proteins in frog atrial heart muscle, 301

C

Cadmium preferentially blocks Ca channels opened by high $[K^+]_o$ in melanotrophs, 33
Ca^{2+}-ATPase, stimulation of human platelet, and Ca^{2+} restoration by calpain, 455
Ca^{2+} current-dependent staircase in rat myotubes and myoballs developing in culture, 135
Ca^{2+} determination, critical evaluation of cytosolic, in resting muscle fibres from normal and dystrophic (mdx) mice, 473
Ca^{2+} binding proteins of the sarcoplasmic reticulum of striated muscle in the endoplasmic reticulum of pig smooth muscles, expression of, 581
Ca^{2+} binding protein (purified human recombinant), calretinin, characterization of a polyclonal antiserum against, 639
Ca^{2+} clamp in single nerve cells, 419
Ca^{2+} compartment (discrete) in cultured neonatal rat heart cells, Na^+/Ca^{2+} exchange dependent. Characteristics, localization and possible physiological function, 61
Ca^{2+} concentration clamp: spikes and reversible pulses using the photolabile chelator DM-nitrophen, 87
Ca^{2+} control on InsP3-induced discharge of calcium from permeabilised hepatocyte pools, 279
Ca^{2+}, control of intracellular, by adrenergic and muscarinic agonists in mouse mandibular ducts and endpieces, 631
Ca^{2+} depletion on the secretion of newly synthesised human chorionic gonadotropin by first trimester human placenta, effect of, 601
Ca^{2+} (extracellular) sensing by the osteoclast, 271
Ca^{2+} influx – competence induction by PDGF requires sustained calcium influx by a mechanism distinct from storage-dependent calcium influx, 439
Ca^{2+} mobilization, aequorin-expressing mammalian cell lines used to report, 663
Ca^{2+} mobilization and cell proliferation activated by extracellular ATP in human ovarian tumour cells, 209
Ca^{2+} monitoring of intracellular free, in perfused rat liver, 465
Ca^{2+} mobilization (intracellular) by inositol 1,4,5-trisphosphate: intracellular movements and compartmentalization, 185
Ca^{2+} oscillations in pancreatic acinar cells: Spatiotemporal relationships and functional implications, 746
Ca^{2+} oscillations in pancreatic acinar cells, two different spatiotemporal patterns for: Evidence of a role for protein kinase C in $Ins(1,4,5)P_3$-mediated Ca^{2+} signalling, 698
Ca^{2+} oscillations, one-pool model for, involving Ca^{2+} and inositol 1,4,5-trisphosphate as co-agonists for Ca^{2+} release, 311
Ca^{2+} pump (internal), abundance of heteronuclear and messenger RNA for, in stomach smooth muscle and myocardium, 17
Ca^{2+} pump (internal) in pregnant rat uterus, expression of, 111
Ca^{2+} pump isoforms (endoplasmic reticulum-type)in, characterisation of the inositol trisphosphate-sensitive and insensi-

tive calcium stores by selective inhibition of the, in platelet membrane vesicles, 531
Ca^{2+} release and propagation in cardiac cells, mechanisms of. Do studies with confocal microscopy add to our understanding?, 713
Ca^{2+} release, one-pool model for Ca^{2+} oscillations involving Ca^{2+} and inositol 1,4,5-trisphosphate as co-agonists for, 311
Ca^{2+} regulation (altered) in SV40-transformed Swiss 3T3 fibroblasts, 539
Ca^{2+} regulation in smooth muscle cell, a model of, 227
Ca^{2+} responses, heterogeneity of intracellular, to parathyroid hormone and thrombin in primary osteoblast-like cells and UMR106-01 cells: Correlations with culture conditions, intracellular calcium concentration and differentiation state, 591
Ca^{2+} signal in human neutrophils and its relation to exocytosis investigated by patch-clamp capacitance and Fura–2 measurements, 255
Ca^{2+} signalling (intracellular) after binding of low-density lipoprotein to confluent and nonconfluent cultures of an endothelial cell line, EA.hy 926, 507
Ca^{2+} SIGNALLING: WAVES AND GRADIENTS; Collected Papers and Reviews, 673-764
Ca^{2+} signalling in exocrine acinar cells: The diffusional properties of cellular inositol 1,4,5-trisphosphate and its role in the release of Ca^{2+}, 711
Ca^{2+} signals generated by extracellular nucleotides in supporting cells of the organ of Corti, characterization of, 245
Ca^{2+} spikes (localized) and propagating calcium waves, 691
Ca^{2+} transients (intracellular) induced by different kinds of stimulus during myogenesis of rat skeletal muscle cells studied by laser cytofluorimetry with Indo–1, 333
Ca^{2+} transporter, reconstitution of a T cell receptor-stimulated plasma membrane, lack of dependence on inositol phosphates, 119
Ca^{2+} waves (intracellular) generated by $Ins(1,4,5)P_3$-dependent mechanisms, 674
Ca^{2+} waves (propagating) and localized calcium spikes, 691
Ca^{2+} waves, classes and mechanisms of, 736
Calmodulin expression during proliferative activation of human T lymphocytes, 609
Calbindin D28K expression in transfected mouse NIH3T3 cells, 349
Calpain, stimulation of human platelet Ca^{2+}-ATPase and Ca^{2+} restoration by, 455
Calreticulin, the putative Ca-storage protein in rat liver, copurifies with inositol 1,4,5-trisphosphate binding sites, 485
Calretinin, purified human recombinant calcium binding protein, characterisation of a polyclonal antiserum against, 639
Cell proliferation and calcium mobilization activated by extracellular ATP in human ovarian tumour cells, 209
Cellular calcium measurements using the light-emitting properties of recombinant semi-synthetic aequorins and recombinant fluorescein-conjugated aequorin, 373
Competence induction by PDGF requires sustained calcium influx by a mechanism distinct from storage-dependent calcium influx, 439
Confocal microscopy, does it add to our understanding of the mechanisms calcium release and propagation in cardiac cells, 713
Corti, organ of, characterization of Ca^{2+} signals generated by extracellular nucleotides in supporting cells of the, 245
Cyclopiazonic acid in thyroid FRTL-5 cells, activation of calcium entry by, 411
Cytofluorimetry (laser) using Indo–1, changes in cytosolic resting ionized calcium level and in calcium transients during in vitro development of normal and Duchenne muscular dystrophy cultured skeletal muscle measured by, 563
Cytofluorimetry (laser) with Indo–1 studies of calcium transients (intracellular) induced by different kinds of stimulus during myogenesis of rat skeletal muscle cells, 333

D

DM-nitrophen, the calcium concentration clamp, spikes and reversible pulses using the photolabile chelator, 87
DMSO, thapsigargin and inositol trisphosphate effects on calcium entry in Xenopus oocytes, 101
Dopamine and baclofen close Ca channels that are spontaneously open but not those opened by high $[K^+]_o$, 33
Dystrophic (mdx) and normal mice, critical evaluation of cytosolic calcium determination in resting muscle fibres from, 473
Dystrophy (Duchenne muscular) and normal cultured skeletal muscle, changes in cytosolic resting ionized calcium level and in calcium transients during in vitro development of, measured by laser cytofluorimetry using Indo–1, 563

E

Endothelial (human) cells, thimerosal induced changes of intracellular calcium in, 201
Endothelial cell line, EA.hy 926, intracellular calcium signalling after binding of low-density lipoprotein to confluent and nonconfluent cultures of, 507
Estradiol modulation of PMA – and ionomycin-stimulated LH secretion from pituitaries of castrated rats, 25

F

Fertilization in eggs of sea urchins and ascidians, net calcium and acid release at, 73
Fibroblasts, expression of voltage-gated calcium channels correlates with PDGF-stimulated calcium influx and depends upon cell density in C3H 10T1/2 mouse, 161
Fibroblasts, SV40-transformed Swiss 3T3, altered calcium regulation in, 539
Fura–2 fluorescence in melanotrophs, indications from Mn-quenching of, that dopamine and baclofen close Ca channels that are spontaneously open but not those opened by high $[K^+]_o$, 33
Fura–2 measurements and patch-clamp capacitance, the calcium signal in human neutrophils and its relation to exocytosis investigated by, 255

G

GH_4C_1 cells, adenosine 3′,5′-cyclic monophosphate-mediated prolactin secretion in, involves Ca^{2+} influx through L-type Ca^{2+} channels, 219
GH_4C_1 cells, tetraethylammonium blockade of K^+ channels in, regulates prolactin secretion by inducing Ca^{2+} influx, 573
Glomerular cells (isolated rat) demonstrate L-type Ca^{2+}-channel activity, 387
Glycogen phosphorylase, identification of an S100 target protein, 323

H

Heart muscle (frog atrial), bistramide A (the polyether) affects the calcium sensitivity of the contractile proteins in, 301
Hepatocyte (permeabilised) pools, calcium control on $InsP_3$-induced discharge of calcium from, 279
Hyperthermia and TMB-8 combined treatments, enhancement

of cell killing and increase in cytosolic calcium concentration in mouse mammary carcinoma FM3A cells, 621

I

Indo–1 in laser cytoflourimetry studies of calcium transients (intracellular) induced by different kinds of stimulus during myogenesis of rat skeletal muscle cells, 333
Indo–1 in laser cytofluorimetry to measure changes in cytosolic resting ionized calcium level and in calcium transients during in vitro development of normal and Duchenne muscular dystrophy cultured skeletal muscle, 563
Inert gases, effects of elevated pressures of, on cytosolic free Ca^{2+} of human platelets stimulated with ADP, 525
Inhibitor of calcium influx in a mast cell line, tenidap, 1
Inositol phosphate generation and Ca^{2+} uptake in rat sublingual mucous acini, membrane potential regulates, 551
Inositol phosphates, reconstitution of a T cell receptor-stimulated plasma membrane calcium transporter, lack of dependence on, 119
Inositol 1,4,5-trisphosphate and Ca^{2+} as co-agonists for Ca^{2+} release, one-pool model for Ca^{2+} oscillations, 311
Inositol 1,4,5-trisphosphate binding sites copurify with the putative Ca-storage protein calreticulin in rat liver, 485
Inositol 1,4,5-trisphosphate (cellular), the diffusional properties of and its role in the release of Ca^{2+}: Ca^{2+} signalling in exocrine acinar cells, 711
Inositol (1,4,5)-trisphosphate-dependent mechanisms, intracellular calcium waves (intracellular) generated by, 674
Inositol trisphosphate-induced discharge of calcium from permeabilised hepatocyte pools, calcium control on, 279
Inositol 1,4,5-trisphosphate – intracellular movements and compartmentalization, intracellular calcium mobilization by, 185
Inositol trisphosphate-linked Ca^{2+} oscillations, effect of voltage-gated plasma membrane Ca^{2+} fluxes on, 397
Inositol (1,4,5)trisphosphate-mediated Ca^{2+} signalling evidence of a role for protein kinase C in, two different spatiotemporal patterns for Ca^{2+} oscillations in pancreatic acinar cells, 698
Inositol trisphosphate-sensitive and insensitive calcium stores by selective inhibition of the endoplasmic reticulum-type calcium pump isoforms in isolated platelet membrane vesicles, characterization of the, 531
Inositol 1,4,5-trisphosphate-sensitive calcium pools, differential activation of, by muscarinic receptors in *Xenopus laevis* oocytes, 649
Inositol trisphosphate, thapsigargin and DMSO effects on calcium entry in Xenopus oocytes, 101
Ionomycin-stimulated LH secretion from pituitaries of castrated rats, estradiol modulation of PMA – and, 25

K

K^+ channel, inwardly rectifying, in human adenomatous parathyroid cells, 517
K^+ channels, tetraethylammonium blockade of, in GH_4C_1 cells regulates prolactin secretion by inducing Ca^{2+} influx, 573

L

LH secretion from pituitaries of castrated rats, estradiol modulation of PMA – and ionomycin-stimulated, 25
Lipoprotein (low-density) binding to confluent and nonconfluent cultures of an endothelial cell line, EA.hy 926, intracellular calcium signalling after, 507
Liver (perfused rat) monitoring of intracellular free calcium in, 465
Liver (rat), Inositol 1,4,5-trisphosphate binding sites copurify with the putative Ca-storage protein calreticulin in, 485

M

Mammary carcinoma FM3A cells (mouse), enhancement of cell killing and increase in cytosolic calcium concentration by combined treatments with hyperthermia and TMB-8 in, 621
Mandibular (mouse) ducts and endpieces, control of intracellular Ca^{2+} by adrenergic and muscarinic agonists in, 631
Mast cell line, Tenidap, novel inhibitor of calcium influx in, 1
Melanotrophs, indications from Mn-quenching of Fura–2 fluorescence in melanotrophs that dopamine and baclofen close Ca channels that are spontaneously open but not those opened by high $[K^+]_o$, 33
Membrane fusion (exocytotic) in *Paramecium* cells, a calcium influx is neither strictly associated with nor necessary for, 173
Membrane potential regulates Ca^{2+} uptake and inositol phosphate generation in rat sublingual mucous acini, 551
Microsomes (brain) reconstitution a voltage-activated calcium conducting cation channel from, 427
Mn-quenching of Fura–2 fluorescence in melanotrophs that dopamine and baclofen close Ca channels that are spontaneously open but not those opened by high $[K^+]_o$, 33
Muscarinic and adrenergic agonists in mouse mandibular ducts and endpieces, control of intracellular Ca^{2+} by, 631
Muscarinic receptors in *Xenopus laevis* oocytes, differential activation of inositol 1,4,5-trisphosphate-sensitive calcium pools by, 649
Muscle fibres (resting) from normal and dystrophic (mdx) mice, critical evaluation of cytosolic calcium determination in, 473
Muscles (pig smooth), expression of Ca^{2+} binding proteins of the sarcoplasmic reticulum of striated muscle in the endoplasmic reticulum of, 581
Myoballs and myotubes developing in culture, calcium current-dependent staircase in rat, 135
Myocardium and stomach smooth muscle, abundance of heteronuclear and messenger RNA for internal Ca pump in, 17
Myocytes (isolated cardiac), ratiometric confocal Ca^{2+}-measurements with visible wavelength indicators in, 359
Myogenesis of rat skeletal muscle cells, calcium transients (intracellular) induced by different kinds of stimulus during, studied by laser cytofluorimetry with Indo–1, 333

N

Neonatal rat heart cells, a discrete Na^+/Ca^{2+} exchange dependent Ca^{2+} compartment in, 61
Nerve (single) cells, calcium clamp in, 419
Neurones (cultured spinal cord), nimodipine protects, from depolarization-induced inhibition of neurite outgrowth, 293
Neutrophils (human), sphingosine mobilizes intracellular calcium in, 493
Neutrophils (human), the calcium signal in, and its relation to exocytosis investigated by patch-clamp capacitance and Fura–2 measurements, 255
NIH3T3 cells (transfected mouse), calbindin D_{28K} expression in, 349
Nimodipine protects cultured spinal cord neurones from depolarization-induced inhibition of neurite outgrowth, 293
Nucleotides (extracellular), characterization of Ca^{2+} signals generated by, in supporting cells of the organ of Corti, 245

O

Okadaic acid uncouples calcium entry from depletion of intracellular stores, 379
Oocytes (*Xenopus laevis*), effects of inositol trisphosphate, thapsigargin and DMSO, calcium entry in, 101
Oocytes (*Xenopus laevis*), muscarinic receptors in, differential activation of inositol 1,4,5-trisphosphate-sensitive calcium pools by, 649
Ornithine decarboxylase, independent actions of asparagine and high levels of free Ca^{2+} in the induction of, 45
Osteoblast-like (primary) cells and UMR106-01 cells, heterogeneity of intracellular calcium responses to thrombin and parathyroid hormone in, 591
Osteoclast, extracellular Ca^{2+} sensing by the, 271
Ovarian (human) tumour cells, calcium mobilization and cell proliferation activated by extracellular ATP in, 209

P

Pancreatic acinar cells during receptor-mediated calcium mobilization, dose-dependent recruitment of, 145
Paramecium cells, a calcium influx is neither strictly associated with nor necessary for exocytotic membrane fusion in, 173
Parathyroid (human adenomatous) cells, an inwardly rectifying K^+ channel in, 517
Parathyroid hormone and thrombin in primary osteoblast-like cells and UMR106-01 cells, heterogeneity of intracellular calcium responses to, 591
Patch-clamp capacitance and Fura–2 measurements, calcium signal in human neutrophils and its relation to exocytosis investigated by, 255
PDGF, competence induction by, requires sustained calcium influx by a mechanism distinct from storage-dependent calcium influx, 439
PDGF-stimulated calcium influx and depends upon cell density in C3H 10T1/2 mouse fibroblasts, expression of voltage-gated calcium channels correlates with, 161
Platelet (human) Ca^{2+}-ATPase, stimulation of, and Ca^{2+} restoration by calpain, 455
Platelet membrane vesicles, characterisation of the inositol trisphosphate-sensitive and insensitive calcium stores by selective inhibition of the endoplasmic reticulum-type calcium pump isoforms in, 531
Platelets (human) stimulated with ADP, effects of elevated pressures of inert gases on cytosolic free Ca^{2+} of, 525
PMA – and ionomycin-stimulated LH secretion from pituitaries of castrated rats, estradiol modulation of, 25
Progesterone to increase intracellular free calcium in human sperm, thapsigargin elevates and potentiates the ability of, possible role of perinuclear calcium, 53
Prolactin secretion in GH_4C_1 cells involves Ca^{2+} influx through L-type Ca^{2+} channels, adenosine 3′,5′-cyclic monophosphate-mediated, 219
Prolactin secretion, tetraethylammonium blockade of K^+ channels in GH_4C_1 cells regulates, by inducing Ca^{2+} influx, 573
Protein kinase C in Ins(1,4,5)P_3-mediated Ca^{2+} signalling, evidence of a role for, Ca^{2+} oscillations in pancreatic acinar cells, two different spatiotemporal patterns for, 698

R

Ratiometric confocal Ca^{2+}-measurements with visible wavelength indicators in isolated cardiac myocytes, 359
Receptor-mediated calcium mobilization, dose-dependent recruitment of pancreatic acinar cells during, 145
RNA (abundance of heteronuclear and messenger) for internal Ca pump in stomach smooth muscle and myocardium, 17

S

Sea urchins and ascidians, net calcium and acid release at fertilization in eggs of, 73
Smooth muscle cells, a model of calcium regulation in, 227
Sperm (human), thapsigargin elevates and potentiates the ability of progesterone to increase intracellular free calcium in, possible role of perinuclear calcium, 53
Sphingosine mobilizes intracellular calcium in human neutrophils, 493
Stomach smooth muscle and myocardium, abundance of heteronuclear and messenger RNA for internal Ca pump in, 17

T

T cell receptor-stimulated plasma membrane calcium transporter, lack of dependence on inositol phosphates, reconstitution of a, 119
T lymphocytes (human), calmodulin expression during proliferative activation of, 609
Tenidap, novel inhibitor of calcium influx in a mast cell line, 1
Tetraethylammonium blockade of K^+ channels in GH_4C_1 cells regulates prolactin secretion by inducing Ca^{2+} influx, 573
Thapsigargin elevates and potentiates the ability of progesterone to increase intracellular free calcium in human sperm, possible role of perinuclear calcium, 53
Thapsigargin, inositol trisphosphate and DMSO effects on calcium entry in Xenopus oocytes, 101
Thimerosal induced changes of intracellular calcium in human endothelial cells, 201
Thrombin and parathyroid hormone in primary osteoblast-like cells and UMR106-01 cells, heterogeneity of intracellular calcium responses to, 591
Thyroid FRTL-5 cells, activation of calcium entry by cyclopiazonic acid in, 411
TMB-8 and hyperthermia combined treatments, enhancement of cell killing and increase in cytosolic calcium concentration in mouse mammary carcinoma FM3A cells, 621

U

UMR106-01 cells and primary osteoblast-like cells, heterogeneity of intracellular calcium responses to thrombin and parathyroid hormone in, 591
Uterus of pregnant rat, expression of internal calcium pump in, 111

V

Voltage-activated calcium conducting cation channel from brain microsomes, reconstitution of a, 427
Voltage-gated calcium channels correlates with PDGF-stimulated calcium influx and depends upon cell density in C3H 10T1/2 mouse fibroblasts, expression of, 161
Voltage-gated plasma membrane Ca^{2+} fluxes on IP_3-linked Ca^{2+} oscillations, effect of, 397

CELL CALCIUM

Cell Calcium (1993) 14, 763–764
© Longman Group UK Ltd 1993

Author Index to Volume 14

A

Agell N, 609
Alam ASMT, 271
Alberola-ila J, 609
Allbritton NL, 691
Allen DG, 631
Ariyoshi H, 455
Arora P, 525
Ashley RH, 427

B

Bachs O, 609
Bär PR, 293
Batra S, 209
Bax BE, 271
Bax CMR, 271
Beit-Or A, 101
Belan PV, 419
Berlin RD, 379
Bevis PJR, 271
Biard J-F, 301
Blackmore PF, 53
Blümcke I, 639
Boland B, 473
Bonner TI, 649
Bourne GA, 25
Braun C, 173
Brownstein M, 663
Buchwald P, 639
Button D, 663

C

Casteels R, 473, 581
Catt KJ, 649
Celio MR, 639
Champeil P, 279
Chesnais J-M, 301
Choukri N, 301
Christensen SB, 101
Claret M, 279
Cleveland PL, 1
Cognard C, 135, 333, 563
Colomer J, 609
Combettes L, 279
Conigrave AD, 517
Connor JA, 185
Constantin B, 135, 333
Cook DI, 517, 631

D

De Pont JJHHM, 145
De Young G, 397
Delbridge L, 517
Diacono J, 301
Dinudom A, 631
Dissing S, 673, 711
Douglas WW, 33
Droogmans G, 201
Dubuisson JG, 323
Dulon D, 245
Dupont G, 311, 563

E

Egas-Kenniphaas JM, 507
Engel P, 609
Enouf J, 531
Enyedi Á, 531
Enyedi P, 485
Estacion M, 161, 439

F

Fahmy NW, 25
Fewtrell CMS, 1
Fomin VP, 111
Fong WF, 45

G

Gailly Ph, 473
Gallacher DV, 698, 746
Gárdos G, 531
Garfield RE, 111
Gericke M, 201
Gillis JM, 473
Gillot I, 73
Gispen WH, 293
Goldbeter A, 311
Grässle A, 173
Greer MA, 219, 573
Greer SE, 219
Gromada J, 711
Grover AK, 17, 111

H

Habara Y, 621
Harding M, 349
Herrmann-erlee MPM, 591
Himpens B, 473
Hines K, 465
Höhne-Zell B, 173
Hol EM, 293
Höld KM, 507
Huang CL-H, 271
Hunziker W, 639
Hurst RD, 387

I

Imbert N, 563
Inouye S, 373
Inukai T, 219, 573

J

Jørgensen TD, 711
Jaffe LF, 73, 736
Ji H, 649
Jones LR, 111

K

Kambayashi J, 455
Kanno T, 621
Kano E, 621
Kawasaki T, 455
Keizer J, 397
Khan I, 17, 111
Kishi Y, 373
Klassen GA, 227
Knoll G, 173
Komwatana P, 517
Kondo T, 621
Kostyuk PG, 419
Kovács T, 531
Krause K-H, 485
Kühtreiber WM, 73
Kuwata JH, 61
Kwan-Yeung L, 493

L

Langer GA, 61
Lawrie AM, 698, 746
Lawson DEM, 349
Lew DP, 485
Ligeti L, 465
Lindau M, 255
Lipp P, 359
Lupu-Meiri M, 101

M

Maassen van den Brink A, 591
Martin C, 427
McDermott GF, 387
McIver DJ, 525
McLaughlin AC, 465
Melvin JE, 551
Meyer T, 691
Millard PJ, 1
Moataz R, 245
Mollard P, 245
Moonga BS, 271
Mordan LJ, 161, 439
Mori T, 455
Muir EM, 349
Mullins RD, 539
Musicki B, 373

N

Nauntofte B, 711
Newcomb TG, 539
Niggli E, 359
Nijweide PJ, 591
Nilius B, 201
Nüβe O, 255

O

O'Brien JA, 349
O'Riordan C, 119
Oron Y, 101

P

Papp B, 531
Pászty K, 531
Pazianas M, 271
Petersen OH, 746
Philp RB, 525
Plattner H, 173
Plessers L, 581
Pong HNH, 45
Popper LD, 209
Poronnik P, 517, 631
Post JA, 61
Preston SF, 379
Probst W, 173

R

Raeymaekers L, 581
Rao AJ, 601
Raymond G, 135, 333, 563
Reinlib L, 465
Renkema GH, 293
Rideau Y, 563
Rivet-Bastide M, 135, 333, 563
Rooney TA, 674
Rosoff PM, 119
Ruttner Z, 465

S

Sakon M, 455
Samson SE, 111
Sandberg K, 649
Sardet C, 73
Sarkadi B, 531
Sauviat M-P, 301
Schaefer HIMB, 507
Schwaller B, 639
Sepúlveda FV, 349
Shankar VS, 271
Sharma SC, 601
Shiba E, 455
Shibuya I, 33
Shimomura O, 373
Showell HJ, 1
Sisken JE, 539
Smith PM, 746
Snitsarev VA, 419
Spät A, 485
Szabadkai G, 485

T

Tabb T, 111
Tepikin AV, 419
Thomas AP, 674
Thorn P, 746
Toescu EC, 698
Törnquist K, 411
Tritsaris K, 711

V

van der Laarse A, 507
van der Meer JM, 591
van der Plas A, 591
Van Duijn B, 591
Van Emst-De Vries SE, 145
Van Os CH, 145
Veraart CM, 293
Verbist J, 581
Verbist J-F, 301

W

Wang X, 219, 573
Whiteside CI, 387
Willems PHGM, 145, 591
Williams DA, 713
Wiltink A, 591
Wong AYK, 227
Wong K, 493
Wong PCL, 45
Wuytack F, 581

Y

Yang MSM, 45
Yoshida K, 455
Young JA, 517, 631
Ypey DL, 591

Z

Zaidi M, 271
Zhang GH, 551
Zimmer DB, 323
Zucker RS, 87